



IT'S GOT IHING WITH LUCK

YOU PUT IN THE TIME. SIGHTING IN. PRACTICING. PREPARING. MORE PRACTICING. WHEN YOU'RE READY, YOU KNOW IT.

REDFIELD® OPTICS PUT YOU IN CONTROL OF YOUR OWN SUCCESS. SO FORGET THE FOUR-LEAF CLOVERS AND LUCKY RABBITS' FEET. THIS IS A SURE THING.

CONTENTS

| ACCELERATOR | |
|--------------|---------|
| COUNTERSTRIE | KE |
| BATTLEZONE | |
| REVENGE | |
| REVOLUTION | |
| REVOLUTION/T | AC |
| RAMPAGE | |
| REBEL | |
| RENEGADE | |
| BATTLEFIELD | |
| RAIDER 600 | |
| "NO EXCUSES" | PROMISE |

SPECIFICATIONS

27



DROPS EXCUSES FASTEI THAN YOU CAN MAKE 'EM UP

Get on target lightning fast and up your game with the Accelerator™ red dot reflex sight. The low-profile, wide field of view, and superior optics make it the perfect sight for handguns, shotguns, and rifles. With the Accelerator, you'll be faster and more accurate no matter what you're shooting.



MOUNTING OPTIONS

The Accelerator is compatible with today's most popular red dot sight mounts (sold separately) for nearly endless mounting

Generous windage and elevation travel makes the Accelerator easy to zero. Locking adjustments ensure it maintains zero even under the harshest recoil.

ADJUSTMENTS



The Accelerator includes a cross-slot mount for Picatinny/Weaver-style rails/mounts, mount adaptor plate, a CR2032 battery, and a durable protective cover.

ACCELERATOR YOU CAN'T FAKE SPEED.

SUPERIOR IMAGE

+ The Accelerator's advanced, quality optics provide a sharp, clear picture across the entire field of view.

ADJUSTABLE BRIGHTNESS

+ Enjoy multiple brightness settings: low, medium, high, and auto. Includes an "on/off" setting to maximize battery life.

EASY-ACCESS BATTERY

+ If you should ever have to change the battery, it's easily accessible on the top of the sight to prevent removing and remounting.

ADAPTER PLATE

+ Included adapter plate allows mounting on most popular reflex sight mounts (sold separately).











CHECK YOUR EXCUSES AT THE

Our CounterStrike™ puts every advantage in your favor, combining a powerful, visible, red laser and an illuminated, 4-MOA green/red dot scope in one versatile sighting system. Get on target faster and with greater precision, either through the scope or using the laser sight. There's no excuse to ever miss a shot again.



MIL-STD-1913/ PICATINNY RAIL MOUNT

Mounting the CounterStrike on the rail of your MSR/AR is as easy as tightening the nut. Rock-solid under fire and fast, repeatable mounting/dismounting.



REDFIELD

1/2-MOA CLICK ADJUSTMENTS WITH TETHERED COVERS

The CounterStrike offers precision 1/2-MOA click adjustments (slotted for screwdriver or coin) for windage and elevation. Dial covers are tethered to prevent loss in the field.

COUNTERSTRIKE STRIKE BACK WITH DUAL ILLUMINATION.

BASE-MOUNTED LASER

 + A powerful, integrated visible laser sight lets you engage targets in an instant from almost any position. User selects "on/off" mode for laser.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ CounterStrike is built to take on the elements, no matter how bad they get. Completely sealed and nitrogen-filled, the CounterStrike is totally waterproof and fog proof.

FLIP-UP LENS COVERS

+ Each CounterStrike is equipped with easy-to-use flip-up lens covers to protect lens surfaces from scratches and the elements.

LONG-LIFE BATTERY POWER

+ The illuminated reticle and laser of the CounterStrike is powered by a readily available CR123A battery. Runs up to 5,000 hours on lowest setting and up to 500 hours on highest setting (does not include running of the external laser).

COMBINES ILLUMINATED RED/GREEN DOT RETICLE WITH LASER

The CounterStrike features a user-selectable 4-MOA red/green dot reticle in combination with a base-mounted laser. Eleven different illumination intensity settings [including night-vision compatible] give you the flexibility to adapt to all shooting/lighting conditions.









THIS IS NO TIME FOR

IFS AND BUTS.

Winners adjust. Losers make excuses. Trust your next shot to the Redfield® Battlezone: The riflescope that proves its mettle time and again with Bullet Drop Compensation (BDC); TAC-MOA™ reticle; and a bright, crystal clear image. Everything you need to stay in the "zone."



TACTICAL ADJUSTMENTS FEATURE TACTILE/ AUDIBLE CLICKS

To give you a firm grip and tactile response, the Battlezone features taller tactical-style turrets for windage and elevation. Adjustment dials are 1/4-MOA finger click/resettable.



(REDFIELD)

FAST-FOCUS EYEPIECE

Battlezone features a fast-focus eyepiece that gets you on target faster, and lets you easily adapt to changing shooting conditions.



BULLET DROP COMPENSATION SYSTEM (BDC)

+ Each Battlezone comes with two BDC dials specifically calibrated to match the ballistics of popular calibers (see page 11). Quickly compensate for bullet drop at long range with a simple turn of the dial.

FULLY MULTICOATED LENS SYSTEM

 + Battlezone features our fully multicoated lens system to reduce light reflection and diffusion. With maximum light transmitted to your eye, you get a bright, crisp image in all lighting conditions.


100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ Like all Redfield scopes, Battlezone is built to withstand the elements. Nitrogen-filled maintubes are totally impervious to moisture and fogging, and are guaranteed to stay that way for the life of your scope. Rugged Redfield reliability means the optics can withstand the pounding of heavy use and never miss a beat.

TAC-MOA™ RETICLE—ADJUSTS FOR WIND AND ELEVATION

To give your Battlezone greater flexibility and long-range aiming precision, we developed the TAC-MOA reticle. Each tic-mark on the horizontal and vertical posts are in two minute of angle [MOA] increments [Battlezone 6–18x44mm features 1-MOA increments], allowing you to quickly compensate for wind and

elevation. Battlezone takes away the guesswork to give you more confidence when it's time to pull the trigger.



(Enlarged for detail)

1 MOA INCREMENTS [6-18x44mm]

2 MOA INCREMENTS (TAC. 22 2-7x34mm, 3-9x42mm)







EACH BATTLEZONE COMES WITH TWO BDC DIALS FOR POPULAR CALIBERS

Each Battlezone 3-9x42mm or 6-18x44mm comes with two elevation BDC (Bullet Drop Compensation) dials calibrated to match two of the most popular calibers for tactical rifles. The .223/5.56mm NATO dial is calibrated for 55 grain bullets at 3,100 fps, while the .308/7.62mm NATO dial is calibrated for 168 grain bullets at 2,650 fps. Each dial is marked in 50-yard increments.



The Battlezone TAC .22 comes with two elevation dials. One that is marked in 1/4-MOA increments and a BDC (Bullet Drop Compensation) dial that is calibrated for a .22 Long Rifle shooting a 36 grain hollow point bullet at 1,260 feet per second. The BDC dial is marked from 50 to 150 yards.



+ Made for AR, Modern Sporting, or precision bolt-action rifles. Comes with two elevation BDC dials calibrated in two of the most popular calibers for tactical rifles: .223/5.56mm NATO set up for 55 grain bullets at 3,100 fps and .308/7.62mm NATO for 168 grain bullets at 2,650 fps.





BATTLEZONE 6-18x44mm | MATTE FINISH

+ Ideal for long-range precision accuracy. Includes elevation BDC dials for both a .223/5.56mm NATO set up for 55 grain bullets at 3,100 fps and .308/7.62mm NATO for 168 grain bullets at 2,650 fps.





BATTLEZONE TAC .22 2-7x34mm | MATTE FINIS

+ Whether you're hunting small game or just plinking, this riflescope will take your accuracy to a new level. Comes with an elevation dial marked in 1/4-MOA increments, plus a second BDC dial that's calibrated for a .22 Long Rifle shooting a 36 grain hollow point bullet at 1,260 fps.







REVENGE THE DISTANCE BETWEEN YOU AND THAT TROPHY JUST GOT SHORTER.

FULLY MULTICOATED LENS SYSTEM

+ Revenge riflescopes feature our fully multicoated lens system to reduce glare and diffusion. Maximum light transmission is delivered to your eye so you see a bright, clear image in all lighting conditions.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ Revenge riflescopes are built to take on the elements, no matter how bad they get. Nitrogen-filled and permanently sealed, Redfield riflescopes are totally waterproof and fog proof, and are guaranteed to stay that way for the life of your scope. Rugged Redfield reliability means the optics can withstand the heaviest recoiling rifles without missing a beat.



DIAL THE DISTANCE

Optional Dial-N-Shoot™ System [D-N-S™] lets you range your target, and precisely compensate for bullet drop and wind drift. See page 14.




1/4-MOA POP-UP RESETTABLE FINGER CLICK ADJUSTMENTS

Quickly adjust for windage and elevation [6-18x44mm Adj. Obj. has 1/8-MOA adjustments).



FAST-FOCUS EYEPIECE


Lets you quickly and easily adapt to changing conditions.



RETICLE SYSTEMS

DIAL-N-SHOOT™ WITH 4-PLEX® RETICLE

Long-range accuracy has never been easier with Redfield Revenge Dial-N-Shoot [D-N-S]. Simply adjust the magnification until your target fits the bracket of the 4-Plex reticle and read the distance indicated on the top vertical post [2 = 200 yards, 3 = 300 yards, etc]. Once the distance has been determined, simply turn the D-N-S elevation adjustment dial to the corresponding distance, hold dead on, and shoot. The 4-Plex reticle also features tic-marks every 2-MOA [minutes of angle] on the horizontal crosswire allowing for precise bullet wind drift compensation.



COMES WITH FIVE BDC DIALS FOR POPULAR CALIBERS

The Revenge D-N-S scope comes with five pre-engraved Bullet Drop Compensation (BDC) elevation



dials to match the ballistic profiles of most popular hunting calibers, from .17 Remington to .338 RUM. Please consult redfield.com for the complete list of dials and methods of matching D-N-S to your specific ballistics information.





REVENGE 2-7x34mm | MATTE FINIS

+ With 7X magnification and lighter weight, this is a perfect choice for a crossbow or short action rifle. Ideal in the woodlots and thickets, as well as meadows and broken country.

4-Plex



+ Low-power field of view with high-power precision. The ranging abilities of the Accu-Ranger Ballistics System provide a distinct advantage in the field.



4-Plex

REVENGE 3-9x52mm | MATTE FINIS

4-PLEX® REVENGE RETICLE
+ Heavy posts stand out against cover

thin crosshairs obscure little.

FINE PLEX RETICLE

small targets easy.

+ Thinner posts and crosshairs allow for less

target coverage, making precision shots on

and in twilight conditions pointing boldly to

the intersection. Centering is a snap. The

+ Squeeze a little extra light out of the day. Adds maximum brightness for easy targeting of deer and other game at dawn, dusk, or when the weather turns nasty.



H-Plex



ENGE 4-12x42mm | MATTE FINISH

+ The one to carry when long shots are the norm. With full 12X magnification, you're ready for everything from pronghorns and muleys, to whitetails and woodchucks.



4-Plex



REVENGE 6-18x44mm ADJUSTABLE OBJECTIVE I MATTE FINISH

+ For tiny targets and smaller groups, you'll appreciate the high magnification, 1/8-MOA adjustments, and adjustable objective.



ine Plex



DROP KICK THE STATUS

With a name like Revolution[®], it's fitting that this riflescope is American-made, right here in our Beaverton, Oregon, factory. It's a revolution of world-class, game-changing optics that go beyond what you need, straight to damn-that's-awesome-and-l-want-it. And with the addition of the Revolution/TAC™, you can kiss the status quo goodbye.

REDFIELD

ILLUMINATOR LENS SYSTEM®

+ Our Illuminator Lens System® gives you the clearest image for the cleanest shot. Premium lenses and coatings deliver exceptional light transmission even at dawn and dusk



RAPID TARGET ACQUISITION®

Get on target faster. Our Rapid Target Acquisition® (RTA) eyepiece and generous eye relief eliminate searching for the visual sweet spot when time is critical.

100% WATERPROOF, FOG PROOF, AND SHOCKPROOF

+ Nitrogen-filled and permanently sealed maintubes are quaranteed to be waterproof and fog proof for the life of your scope. Rugged reliability means the optics can withstand the heaviest recoil time after time.

REVOLUTION PACKED WITH ALL THE FEATURES YOU NEED.

ACCU-TRAC® ADJUSTMENTS

+ Precision, stainless steel, 1/4-MOA finger click windage and elevation adjustments let you quickly and easily zero your rifle on the range.



ACCU-RANGE® RETICLE

+ An innovative Bullet Drop Compensation System pioneered by Redfield (and copied in many other scopes around the world]. For more information, see page 18.

4-PLEX RETICLE

+ Heavy posts stand out against cover and in twilight conditions pointing boldly to the intersection. Thin crosshairs allow precise placement of your shot

REVOLUTION/TAC MAKE ADJUSTMENTS. NOT EXCUSES.

ADJUST ON THE FLY

+ The Revolution/TAC syncs tactical adjustment dials and the TAC-MOA reticle to let shooters make quick, simple adjustments for better accuracy.




TAC-MOA RETICLE

+ Markings on the horizontal and vertical posts in two minute of angle [MOA] increments provide quick wind and elevation adjustments. Get greater flexibility and precision, even at long range.

TACTICAL DIALS

+ Taller, tactical-style windage and elevation adjustments feature aggressively knurled dials and tactile/audible 1/4-MOA clicks to give you a better grip and more control over the elements.





ACCU-RANGE RETICLE

TAKE THE GUESSWORK OUT OF YOUR NEXT SHOT.

As one of the first with Bullet Drop Compensation, Redfield's original Accu-Range® pioneered the reticles we take for granted today. The Accu-Range blends precise holdover points hunters need with a bold center that naturally leads the eye for fast shot placement at close quarters.

The reticle comes with precise aiming points that work with most popular hunting loads. For many standard cartridges (Group 1 at right), sight in at 200 yards with the center crosshair, and the remaining hold points are dialed in up to 500 yards. The bottom of the circle intersects the vertical crosshair at the 300-yard aim point, the dot is your hold for 400 yards, and the bottom post provides a 500-yard aiming point. For faster, magnum-caliber rifles shooting light bullets, you can sight in at 300 yards and have hold points for 400, 500, and 600 yards.





Accu-Range is ideal for fast Accu-Range is also ideal target acquisition at close for taking game cleanly range or on running game.

at longer ranges.







+ It's the Revolution—tactical style. Everything you love about the Revolution plus tactical dials and the TAC-MOA reticle. Allows for quick, simple adjustments when conditions change and time is of the essence.





+ If you hunt woodlots, thickets, or dark timber, this Revolution is for you. Mount it on a lever gun or short action to save weight and get the job done. Plus, the 7X magnification makes this scope at home hunting over meadows, clear-cuts, and broken country.







CARTRIDGE GROUPS FOR USE WITH ACCU-RANGE RETICLE

Bullet Wt. Velocity

100 2900 fps

100 3200 fps

120 3000 fps

130 3050 fps

3120 fps

3000 fps

3050 fps

3000 fps

3100 fps

2950 fps

2950 fps

2950 fps

2900 fps

3275 fps

3300 fps

3300 fps

3225 fps

3325 fps

3450 fps

3250 fps

3400 fps

3400 fps

130 3200 fps

150 3100 fps

150 3375 fps

150

140

150

150

180

180

200

250

130

150

140

140

140

160

180

Bullet Wt. Velocity

(35-45 inches of drop at 500 yards)

[Less than 35 inches of drop at 500 yards]

GROUP 1 (200 YARD ZERO)

.243 Winchester

.25-06 Remington

.25-06 Remington

.270 Winchester

.280 Remington

7mm Reminaton Mad

.300 Winchester Mag

.338 Winchester Mag

GROUP 2 (300 YARD ZERO)

.30-06 Springfield

.270 WSM

.300 WSM

.338 RUM

.270 WSM

.300 WSM

7mm WSM

7mm STW

7mm RUM

7mm RUM

.300 RUM

.30-378 Weatherby Mag

.270 Weatherby Mag

7mm Remington Mag

.300 Weatherby Mag

.300 Winchester

+ This go-to scope gives hunters great flexibility with a magnification range that combines low-power field of view and high-power precision. This Revolution will be right at home in any terrain you hunt.





+ Need to squeeze a little extra light out of the day? The 3-9x50mm adds maximum brightness for easy targeting of deer and other game at dawn, dusk, or when the weather turns bad.









+ For those wide-open spaces, cutovers, clear-cuts, and bean fields where long-range shots make a difference. Dial it all the way up to 12X magnification, and you have a scope for everything from pronghorn and whitetail to coyotes and woodchucks.



YOU'LL MISS IS THE STICKER SHOCK

THE ONLY THING

Rampage® is a full-sized, fully featured spotting scope that opens up a world of possibilities with a price tag that anyone can afford. Bright, clear optics and rugged Redfield dependability make it the perfect choice for observation, at the range or on the hunt.

RAMPAGE BIG-TIME PERFORMANCE AT A USER-FRIENDLY PRICE.

BAK4 PRISM SYSTEM

+ These top-quality prisms deliver unmatched clarity and resolution, so you get a crisp, clear image every time. No dull or muddled reproduction, just accurate color fidelity and sharp edge-to-edge clarity to help you separate game from their natural surroundings.



RETRACTABLE LENS SHADE

+ Reduce glare and increase visibility when spotting in wide-open country.

POLYCARBONATE BODY

+ Made of the same stuff as bulletproof glass, the body is exceptionally light, yet remarkably tough. It will be there with you, standing up to the toughest elements and terrain.

READY. SET. GO ANYWHERE.

RAMPAGE® 20-60x80mm ANGLED EYEPIECE KIT


+ This all-in-one kit comes complete with a 20-60x80mm Angled Eyepiece Rampage, tripod, view-thru case, soft carry case with strap, and covers for both the eyepiece and objective. The 45-degree angled eyepiece provides greater comfort and ease of use at the range or in the field. Black finish.



RAMPAGE 20-60x60mm KIT

Includes a 20-60x60mm Rampage, tripod, view-thru case, soft carry case with strap and eveniece and objective covers. This complete spotter kit is at home at the range or on the hunt. Black finish.









Brightness, Resolution, Edge-to-edge a rack in tangled timber or the twitch

FULLY MULTI-COATED LENSES

Fully multi-coated lenses quarantee a bright, sharp image to spot your game. These lenses maximize transmission of fading light for strong performance in twilight conditions. Eliminate muddy images and missed opportunities thanks to crystal clear resolution and accurate color reproduction.

ARMORED CONSTRUCTION

Polycarbonate body construction stays fog-free to keep you glassing in all conditions. Built tough, these binoculars tackle rough conditions without worry. Includes a soft case, comfortable neoprene neckstrap, and durable lens covers.

SMALL IN STATURE. **BIG ON PERFORMANCE.**

A compact, all-purpose binocular that will get the job done from dawn to dusk. A close focus distance of less than 10 feet and a huge field of view makes the Rebel® a perfect fit for almost any situation. Available in 8X and 10X models.



+ Integrated twist-up eyecups provide a great fit, with or without glasses.













BAK4 PRISM SYSTEM

clarity. Three things you need to spot of an ear through the brush, all thanks to the advanced BAK4 Prism System.

RENEGADE SAY GOODBYE TO THE SAME OL'.

Buck the system and get more value for your money. No matter the conditions, you'll spot game with ease thanks to a Porro prism design that doesn't flatten the image, giving you 3-D reproduction with generous depth of field. Available in 7X, 8X, and 10X models.



+ Get a sure grip and ease of focus, thanks to aggressive knurling and rubber armor.















BATTLEFIELD BUILT-IN TACTICAL RANGING.

With the same TAC-MOA reticle as the Battlezone riflescope, the Battlefield™ puts an extra set of eyes on the target for synergistic ranging. The popular 10x42mm platform is the perfect balance of magnification and exit pupil for even the most demanding environments.



+ Digital camouflage pattern blends into nearly any setting.





TAC-MOA RETICLE

The TAC-MOA reticle features stadia lines on the crosshairs set at 2 MOA increments. It easily rotates to set the reticle parallel with the horizon in any situation or position.







RAIDER 600 LIGHTNING-FAST AND DEADLY ACCURATE.

RAIDER 600A™ FEATURES INCLINOMETER

+ Take the guesswork out of uphill/downhill shots with the Raider 600A™ (Angle). Automatically compensates for incline/decline to give you true horizontal distance for more precise shooting.

EASY TO USE

+ With simple, one-button operation, the Raider™ is ideally suited for fast action in the field. One press of the button ranges your target instantly, while a press and hold will let you scan the landscape, returning ranges for various landmarks or game.



Raider 600A



Raider 60



+ High-speed, digital processor and powerful laser combine to deliver instant, accurate ranging in the field.

COMPACT SIZE

+ At less than five inches long and under five ounces, the Raider is a powerful tool in a tiny package. Easy to carry and handle, it's a compact rangefinder that makes a big difference.




Raider 600 Cam



laider 600 Metric

BATTERY POWER

The Raider's efficiency means long battery life, so it's always ready when you need it. Commonly available CR2 battery makes replacement hassle free.



MAGNIFICATION

The 6X magnification lets you get up close and personal while ranging. Make sure you're dialed in on that target, or use your Raider as an instant spotter when game is close.



DEAD ON ACCURACY FOR UNSHAKEABLE CONFIDENCE.

When a big buck sneaks through the clearing you've been scouting for months, are you going to trust your shot to a guess? Give yourself the advantage with our Raider 600 laser rangefinder. Lightning-fast. Deadly accurate.





THE LAST THING YOU NEED IS AN EXCUSE

WE BUILD OUR REDFIELD RIFLESCOPES. BINOCULARS. SPOTTING SCOPES. AND LASER RANGEFINDERS TO DO THEIR JOB. DAY AFTER DAY. SEASON AFTER SEASON. IT'S WHAT YOU EXPECT FOR YOUR HARD-EARNED MONEY.

IF YOU EVER HAVE AN ISSUE, THE LAST THING YOU NEED IS BACKPEDALING AND PASSING THE BUCK. THAT'S WHERE OUR "NO EXCUSES" WARRANTY COMES IN. IF YOU HAVE A PROBLEM WITH YOUR REDFIELD PRODUCT, WE WILL MAKE IT RIGHT. NO HASSLE, NO EXCUSES.™ THAT'S THE REDFIELD WAY. PLEASE SEE REDFIELD.COM FOR WARRANTY DETAILS



PUT EXCUSES

MOUNT YOUR

RIFLESCOPE

WITH LEUPOLD

RINGS AND BASES

When you're ready to pull the trigger, the last thing you need to

worry about is whether or not your

mounting system is up to the task.

Be sure with genuine Leupold® rings and bases, precision machined

in Beaverton, Oregon. Available in

matte black or silver finish, these

rock-solid mounts will keep your

riflescope locked down and zeroed in, shot after heavy-recoiling shot.

REDFIELD®

ON LOCKDOWN:




















SPECIFICATIONS (Imported) ACCELERATOR Dimensions (Inches) 3-9x42mm 118929 REVENGE 2-7x34mm 115204 115208

| | | | | | Dimensions | | | | | Actual Magnification | | Field of View | | | | Optimum Eye Re | | | | ear | Weight | | Adjustment | Adjustment | | | |
|------------------|------------|--------|---------|------|------------|-----|-----|------|-----|-------------------------|--------|---------------|-----------|--------------|------|----------------|------|------|------|-----|--------|------|------------|------------|------|--------|--------|
| | | | | | | | [In | ches | J | | | Magr | ification | ft at 100 yd | | m at 100 m | | inch | | mm | | | rture | | 9 | Range* | Range* |
| | | | | A1 | В | С | D | Εì | F | G I | ł K | Low | High | Low | High | Low | High | Low | High | Low | High | inch | mm | ounce | gram | MOA | MOA |
| REVOLUTION | Accu-Range | 4-Plex | TAC-MOA | | | | | | | | | | | | | | | | | | | | | | | | |
| 2-7x33mm | 67085 | 67080 | - | 11.0 | 5.2 | 1.9 | 2.1 | 3.2 | 2.6 | 1.6 1 | .6 1.0 | 2.5 | 6.5 | 43.2 | 17.3 | 14.4 | 5.8 | 4.2 | 3.7 | 107 | 94 | 1.3 | 33 | 11.1 | 315 | 65 | 65 |
| 3-9x40mm | 67095 | 67090 | - | 12.3 | 5.6 | 2.3 | 2.1 | 3.2 | 3.5 | 1.8 1 | .6 1.0 | 3.3 | 8.5 | 32.9 | 13.1 | 11.0 | 4.4 | 4.2 | 3.7 | 107 | 94 | 1.6 | 40 | 12.6 | 357 | 56 | 56 |
| 3-9x50mm | 67105 | 67100 | - | 12.4 | 4.8 | 1.6 | 2.1 | 3.2 | 4.1 | 2.3 1 | .6 1.0 | 3.3 | 8.4 | 33.0 | 13.1 | 11.0 | 4.4 | 4.2 | 3.7 | 107 | 94 | 2.0 | 50 | 14.5 | 411 | 56 | 56 |
| 4-12x40mm | 67115 | 67110 | - | 12.3 | 5.6 | 2.3 | 2.1 | 3.2 | 3.5 | 1.8 1 | .6 1.0 | 4.5 | 11.4 | 19.9 | 9.4 | 6.6 | 3.1 | 4.9 | 3.7 | 124 | 94 | 1.6 | 40 | 13.1 | 371 | 50 | 50 |
| Rev/TAC 3-9x40mm | - | - | 118348 | 12.3 | 5.6 | 2.3 | 2.1 | 3.2 | 3.5 | 1.8 1 | .6 1.0 | 3.3 | 8.5 | 32.9 | 13.1 | 11.0 | 4.4 | 4.2 | 3.7 | 107 | 94 | 1.6 | 40 | 12.6 | 357 | 56 | 56 |

| 20-60x60mm | 67600 | 20-60x | 114-51 | 125~25 | 2.2~1.0 | 37.2 | 1055 | 14.4 | 365 | 60 | 34.6~60.0 | 3.0~1.0 | 17.0~14.0 | NA | 19.8 | 6.0 |
|------------------------|----------------|---------------|------------|-------------|--------------------------|-------|-------|------|------|-----------------------|-----------|---------------|---------------|----------------------------|-------------|-----|
| 20-60x80mm Angled | 114651 | 20-80x | 105~52 | 32~16 | 2.0~1.0 | 43.0 | 1219 | 15.0 | 381 | 80 | 40.0~69.3 | 4.0~1.3 | 19.3~16.6 | NA | 14.3 | 4.8 |
| | | Actual | Linear Fie | eld of View | Angular Field of View | We | ight | Ler | ngth | Objective Aperture | Twilight | Exit Pupil | Eye Relief | Interpupillary Distance | Close Dista | |
| (Imported) | | Magnification | ft/1000 yd | m/1000 m | degrees | ounce | | | mm | mm | Factor | mm | mm | mm | ft | m |
| REBEL ROOF PRISM | Black | | | | | | | | | | | | | | | |
| 8x25mm | 120191 | 8x | 357 | 119.0 | 6.8 | 9.8 | 279.2 | 5.0 | 128 | 25 | 14.1 | 3.1 | 15.5 | 50-73 | 3.8 | 1.5 |
| 8x32mm | 67610 | 8x | 389 | 118.6 | 7.4 | 17.1 | 485 | 5.0 | 128 | 32 | 16.0 | 4.0 | 15.8 | 58-73 | 3.8 | 1.2 |
| 8x42mm | 114650 | 8x | 394 | 131.7 | 7.5 | 24.2 | 686 | 5.8 | 147 | 42 | 18.3 | 5.3 | 17.0 | 56-74 | 5.3 | 1.6 |
| 10x25mm | 120192 | 10x | 288 | 960.0 | 5.5 | 9.8 | 279.2 | 5.0 | 128 | 25 | 15.8 | 2.5 | 15.5 | 50-73 | 3.8 | 1.5 |
| 10x42mm | 67605 | 10x | 341 | 113.9 | 6.5 | 26.4 | 748 | 5.9 | 149 | 42 | 20.5 | 4.0 | 16.3 | 58-73 | 4.3 | 1.3 |
| 10x50mm | 114503 | 10x | 284 | 86.4 | 5.4 | 30.0 | 851 | 6.7 | 170 | 50 | 22.4 | 5.0 | 16.0 | 58-74 | 9.8 | 3.0 |
| RENEGADE PORRO PRISM | Black | | | | | | | | | | | | | | | |
| 8x36mm | 117987 | 8x | 389 | 117.7 | 7.4 | 20.5 | 581 | 5.0 | 127 | 36 | 16.9 | 4.5 | 18.0 | 56-68 | 15.0 | 4.5 |
| 10x36mm | 117988 | 10x | 314 | 104.7 | 6.0 | 20.5 | 581 | 5.0 | 127 | 36 | 19.0 | 3.6 | 18.0 | 56-68 | 15.0 | 4.5 |
| 7x50mm | 67615 | 7x | 341 | 113.9 | 6.5 | 30.8 | 873 | 6.5 | 165 | 50 | 18.7 | 7.1 | 20.0 | 60-73 | 19.0 | 5.8 |
| 10x50mm | 67620 | 10x | 347 | 115.7 | 6.6 | 31.3 | 887 | 6.5 | 165 | 50 | 22.4 | 5.0 | 18.0 | 60-73 | 17.3 | 5.2 |
| BATTLEFIELD ROOF PRISM | Desert Digital | | | | | | | | | | | | | | | |
| 40.00 | | | | | | | | | | | | | | | | |

| | | Actual | Linear Fie | d of View | Angular Field of View | We (with b | ght attery) | Length | | Objective Aperture | Twilight | Exit Pupil | Eye Relief | Close Focus Distance | | Maximum Range | | Minimum Range | | | |
|----------------------|--------|---------|-----------------------------|---------------|--------------------------|---------------|----------------|--------|-------|-----------------------|----------|---------------|---------------|-------------------------|----|---------------|-----|---------------|--------|-------|--------|
| [Imported] | | | | Magnification | ft/1000 yd | m/1000 m | degrees | ounce | gram | inches | mm | mm | Factor | mm | mm | ft | m | yards | meters | yards | meters |
| RAIDER 600 | Black | Natural | Mossy Oak Break-Up Infinity | | | | | | | | | | | | | | | | | | |
| Raider 600A (Angled) | - | 117862 | - | 6x | 325 | 100 | 6.0 | 5 | 139.7 | 3.7 | 95 | 23 | 11 | 3.3 | 12 | 19.8 | 6.0 | 600 | 549 | 6 | 5.5 |
| Raider 600 | 117859 | - | 117861 | 6x | 325 | 100 | 6.0 | 5 | 139.7 | 3.7 | 95 | 23 | 11 | 3.3 | 12 | 19.8 | 6.0 | 600 | 549 | 6 | 5.5 |
| Raider 600 Metric | 117860 | - | - | 6x | 325 | 100 | 6.0 | 5 | 139.7 | 3.7 | 95 | 23 | 11 | 3.3 | 12 | 19.8 | 6.0 | 600 | 549 | 6 | 5.5 |

Dimensions "A" and "F" may vary according to the focusing position of the eveniege. * Elevation and windage adjustment ranges are the distance from one extreme of the adjustment to the other.

Leupold & Stevens, Inc. reserves all other rights. 4-PLEX; ACCU-RANGE; ACCU-RANGER; ACCU-TRAC; ILLUMINATOR LENS SYSTEM; LEUPOLD; RAMPAGE; RAPID TARGET ACQUISITION; REBEL; REDFIELD; RENEGADE; REVENGE; and REVOLUTION are registered trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. ACCELERATOR; ACCU-PLEX; ACCU-RANGER BALLISTICS SYSTEM; BATTLEFIELD; BATTLEZONE; COUNTERSTRIKE; DIAL-N-SHOOT: D-N-S: NO EXCUSES: RAIDER 600A: RAIDER: REVOLUTION/TAC: and TAC-MOA are trademarks modifications without prior notice.